## In the Claims

The listing of claims will replace all prior versions and listings of claims in the application.

## **Listings of claims**

1. (original) A compound of formula (I)

or a salt, ester or prodrug thereof;

where:

X is O or NR<sup>6</sup>;

R<sup>6</sup> is hydrogen or C<sub>1-4</sub>alkyl;

R<sup>1</sup> is hydrogen, halo, or –X<sup>1</sup>R<sup>11</sup>;

 $X^1$  is a direct bond,  $-CH_2=CH_2-$ , -O-, -NH-,  $-N(C_{1-6}alkyl)-$ , -C(O)-, -C(O)O-, -OC(O)-,

-NHC(O)-, -N(C<sub>1-6</sub>alkyl)C(O)-, -C(O)NH- or -C(O)N(C<sub>1-6</sub>alkyl)-;

 $R^{11}$  is hydrogen, or a group selected from  $C_{1-6}$ alkyl,  $C_{2-6}$ alkenyl,  $C_{2-6}$ alkynyl,  $C_{3-6}$ cycloalkyl,  $C_{3-6}$ cycloalkenyl, heterocyclyl $C_{1-4}$ alkyl, heterocyclyl $C_{2-4}$ alkenyl and heterocyclyl $C_{2-4}$ alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from halo, hydroxy,  $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkyl,  $-NR^9R^{10}$ ,  $-C(O)R^9$ ,  $-C(O)NR^9R^{10}$  and  $-C(O)OR^9$ :

R<sup>2</sup> is hydrogen, halo, nitro, cyano or -X<sup>2</sup>R<sup>12</sup>;

 $\mathbf{X}^2$  is a direct bond, -O-, -NH-, -N(C<sub>1-6</sub>alkyl)-, -OC(O)- or -C(O)O-;

 $R^{12}$  is hydrogen, or a group selected from  $C_{1\text{-6}}$ alkyl,  $C_{2\text{-6}}$ alkenyl,  $C_{2\text{-6}}$ alkynyl,  $C_{3\text{-6}}$ cycloalkyl,  $C_{3\text{-6}}$ cycloalkenyl, aryl $C_{1\text{-4}}$ alkyl, aryl $C_{2\text{-4}}$ alkenyl, aryl $C_{2\text{-4}}$ alkynyl, heterocyclyl, heterocyclyl $C_{1\text{-4}}$ alkyl, heterocyclyl $C_{2\text{-4}}$ alkenyl and heterocyclyl $C_{2\text{-4}}$ alkynyl, which group is optionally substituted by 1, 2 or 3 substituents selected from halo, hydroxy,  $C_{1\text{-4}}$ alkyl,  $C_{1\text{-4}}$ alkoxy,  $-NR^{15}R^{16}$ ,  $-NHC(O)NR^{15}R^{16}$ ,  $-C(O)R^{15}$  and  $-C(O)OR^{15}$ ;

R<sup>3</sup> is hydrogen, halo or -X<sup>3</sup>R<sup>13</sup>;

 $X^3$  is a direct bond,  $-CH_2=CH_2-$ , -O-, -NH-,  $-N(C_{1-6}alkyl)-$ , -C(O)-, -C(O)O-, -OC(O)-,  $-N(C_{1-6}alkyl)C(O)-$ , -C(O)NH- or  $-C(O)N(C_{1-6}alkyl)-$ ;

 $R^{13}$  is hydrogen or a group selected from  $C_{1-6}$ alkyl,  $C_{2-6}$ alkenyl,  $C_{2-6}$ alkynyl,  $C_{3-6}$ cycloalkyl,  $C_{3-6}$ cycloalkenyl, aryl $C_{1-4}$ alkyl, aryl $C_{2-4}$ alkenyl, aryl $C_{2-4}$ alkynyl, heterocyclyl, heterocyclyl $C_{2-4}$ alkenyl and heterocyclyl $C_{2-4}$ alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from  $-NR^7R^8$ ,  $-C(O)NR^7R^8$ , halo, hydroxy,  $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkylcarbonyl, amino $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkylcarbonyl;

bis( $C_{1-4}$ alkyl)amino $C_{1-4}$ alkylcarbonyl;  $R^7$  and  $R^8$  are independently selected from hydrogen, heterocyclyl, heterocyclyl $C_{1-4}$ alkyl,  $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkyl $C_{3-6}$ cycloalkyl, hydroxy $C_{3-6}$ cycloalkyl, hydroxy $C_{3-6}$ cycloalkyl $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkyl, halo $C_{3-6}$ cycloalkyl,  $C_{1-4}$ alkoxy $C_{3-6}$ cycloalkyl, cyano $C_{1-4}$ alkyl, amino $C_{1-6}$ alkyl, hydroxy $C_{1-4}$ alkylamino $C_{1-6}$ alkyl, bis( $C_{1-4}$ alkyl)amino $C_{1-6}$ alkyl, hydroxy $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkylcarbonyl, amino $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkylcarbonyl, amino $C_{1-4}$ alkylcarbonyl; or  $R^7$  and  $R^8$  together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO<sub>2</sub>, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from  $C_{1-4}$ alkyl, hydroxy,  $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkyl, hydroxy,  $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkyl, hydroxy,  $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkyl, hydroxy, hydroxy $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkylcarbonyl, hydroxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkylcarbonyl, hydroxy $C_{1-4}$ alkylcarbonyl, hydroxy $C_{1-4}$ alkylcarbonyl, hydroxy $C_{1-4}$ alkylcarbonyl, hy

aminoC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylaminoC<sub>1-4</sub>alkylcarbonyl and

bis( $C_{1-4}$ alkyl)amino $C_{1-4}$ alkylcarbonyl, and where a ring  $-CH_{2}$ - is optionally replaced with -C(O)-;

R<sup>4</sup> is selected from hydrogen, halo or –X<sup>4</sup>R<sup>14</sup>;

 $X^4$  is a direct bond, -O-, -NH- or -N(C<sub>1-6</sub>alkyl)-;

 $R^{14}$  is selected from hydrogen,  $C_{1-6}$ alkyl,  $C_{2-6}$ alkenyl and  $C_{2-6}$ alkynyl;

 $R^5$  is aryl or heteroaryl optionally substituted by 1, 2 or 3 substituents independently selected from halo, hydroxy, cyano, nitro, amino,  $C_{1\text{-4}}$ alkylamino, bis( $C_{1\text{-4}}$ alkyl)amino,  $C_{1\text{-4}}$ alkyl,  $C_{2\text{-4}}$ alkenyl,  $C_{2\text{-4}}$ alkynyl,  $C_{1\text{-4}}$ alkoxy, -CONHR<sup>17</sup>, -NHCOR<sup>18</sup> –SR<sup>17</sup>, -S(O)R<sup>17</sup> and -S(O)OR<sup>17</sup>;  $R^9$ ,  $R^{10}$ ,  $R^{15}$  and  $R^{16}$  are independently selected from hydrogen,  $C_{1\text{-6}}$ alkyl,  $C_{3\text{-6}}$ cycloalkyl,  $C_{3\text{-6}}$ cycloalkyl, hydroxy $C_{1\text{-6}}$ alkyl, halo $C_{1\text{-6}}$ alkyl, amino $C_{1\text{-6}}$ alkyl,  $C_{1\text{-4}}$ alkylamino $C_{1\text{-6}}$ alkyl;

or R<sup>9</sup> and R<sup>10</sup> together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen

and of which another is optionally selected from N, NH, O, S, SO and SO<sub>2</sub>, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C<sub>1-4</sub>alkyl, hydroxy, C<sub>1-4</sub>alkoxy, hydroxyC<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkyl,

hydroxy $C_{1-4}$ alkoxy $C_{1-4}$ alkoxy $C_{1-4}$ alkoxy $C_{1-4}$ alkoxy $C_{1-4}$ alkoxy $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkylcarbonyl and

bis( $C_{1-4}$ alkyl)amino $C_{1-4}$ alkylcarbonyl, and where a ring – $CH_{2^-}$  is optionally replaced with – C(O)-;

R<sup>17</sup> and R<sup>18</sup> are independently selected from hydrogen, C<sub>1-4</sub>alkyl, C<sub>3-6</sub>cycloalkyl, C<sub>2-4</sub>alkenyl and C<sub>2-4</sub>alkynyl;

 $R^{19}$  is hydrogen, hydroxyC<sub>1-4</sub>alkyl, -C(O)R<sup>20</sup>, -C(O)OR<sup>20</sup>, -CONR<sup>20</sup>R<sup>21</sup>, -NHC(O)R<sup>20</sup> or -NHC(O)OR<sup>20</sup>:

R<sup>20</sup> are R<sup>21</sup> are independently selected from hydrogen, C<sub>1-4</sub>alkyl and aryl.

## 2. (currently amended) A compound of formula (IA)

$$R^{19}$$
 $R^{1'}$ 
 $N$ 
 $N$ 
 $N$ 
 $R^{5}$ 
 $R^{3'}$ 
 $R^{4}$ 

or salt or ester thereof

where X,  $X^1$ ,  $X^2$ ,  $X^3$ ,  $R^4$ ,  $R^5$  and  $R^{19}$  are as defined in relation to formula (I) and  $R^{1'}$  is hydrogen, halo, or  $-X^1R^{11'}$ ;

 $R^{11'}$  is hydrogen, phosphonooxy or a group selected from  $C_{1-6}$ alkyl,  $C_{2-6}$ alkenyl,  $C_{2-6}$ alkynyl,  $C_{3-6}$ cycloalkyl,  $C_{3-6}$ cycloalkenyl, heterocyclyl, heterocyclyl $C_{1-4}$ alkyl, heterocyclyl $C_{2-4}$ alkenyl and heterocyclyl $C_{2-4}$ alkynyl which group is optionally substituted by a substituent selected from halo, hydroxy, phosphonooxy,  $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl,  $-NR^{9'}R^{10'}$ ,  $-C(O)R^{9'}$ ,  $-C(O)NR^{9'}R^{10'}$  and  $-C(O)OR^{9'}$ :

R<sup>2'</sup> is hydrogen, halo, nitro, cyano or –X<sup>2</sup>R<sup>12'</sup>;

 $R^{12'}$  is hydrogen, phosphonooxy or a group selected from  $C_{1-6}$ alkyl,  $C_{2-6}$ alkenyl,  $C_{2-6}$ alkynyl,  $C_{3-6}$ cycloalkyl,  $C_{3-6}$ cycloalkenyl, aryl, aryl $C_{1-4}$ alkyl, aryl $C_{2-4}$ alkenyl, aryl $C_{2-4}$ alkynyl, heterocyclyl, heterocyclyl $C_{1-4}$ alkyl, heterocyclyl $C_{2-4}$ alkenyl and heterocyclyl $C_{2-4}$ alkynyl, which group is optionally substituted by 1, 2 or 3 substituents selected from halo, hydroxy, phosphonooxy,  $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy,  $-NR^{15}$  $R^{16}$ ,  $-NHC(O)NR^{15}$  $R^{16}$ ,  $-C(O)R^{15}$  and  $-C(O)OR^{15}$ 

R<sup>3'</sup> is hydrogen, halo or –X<sup>3</sup>R<sup>13'</sup>;

 $R^{13'}$  is hydrogen, phosphonooxy or a group selected from  $C_{1-6}$ alkyl,  $C_{2-6}$ alkenyl,  $C_{2-6}$ alkynyl,  $C_{3-6}$ cycloalkyl,  $C_{3-6}$ cycloalkenyl, aryl, aryl $C_{1-4}$ alkyl, aryl $C_{2-4}$ alkenyl, aryl $C_{2-4}$ alkynyl, heterocyclyl $C_{1-4}$ alkyl, heterocyclyl $C_{2-4}$ alkenyl and heterocyclyl $C_{2-4}$ alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from  $-NR^{7'}R^{8'}$ ,  $-C(O)NR^{7'}R^{8'}$ , halo, hydroxy, phosphonooxy,  $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkyl, phosponooxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkylcarbonyl, phosphonooxy $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkylcarbonyl, amino $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkylcarbonyl, amino $C_{1-4}$ alkylcarbonyl;

R<sup>7'</sup> and R<sup>8'</sup> are independently selected from hydrogen, heterocyclyl, heterocyclylC<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkyl, C<sub>1-6</sub>alkyl, hydroxyC<sub>1-6</sub>alkyl, phosphonooxyC<sub>1-6</sub>alkyl, C<sub>1-4</sub>alkoxyC<sub>1-6</sub>alkyl, C<sub>3-6</sub>cycloalkyl, C<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, hydroxyC<sub>3-6</sub>cycloalkyl, phosphonooxyC<sub>3-6</sub>cycloalkyl, hydroxyC<sub>1-4</sub>alkylC<sub>3-6</sub>cycloalkyl, phosphonooxyC<sub>1-4</sub>alkylC<sub>3-6</sub>cycloalkyl, hydroxyC<sub>1-4</sub>alkylC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, phosphonooxyC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, hydroxyC<sub>1-4</sub>alkylC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, phosphonooxyC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, hydroxyC<sub>1-4</sub>alkylC<sub>3-6</sub>cycloalkyl, C<sub>1-4</sub>alkoxyC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, haloC<sub>1-6</sub>alkyl, haloC<sub>3-6</sub>cycloalkyl, haloC<sub>3-6</sub>cycloalkyl, C<sub>1-4</sub>alkoxyC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, haloC<sub>1-6</sub>alkyl, haloC<sub>3-6</sub>cycloalkyl, haloC<sub>3-6</sub>cycloalkyl, haloC<sub>3-6</sub>cycloalkyl, haloC<sub>1-6</sub>alkyl, haloC<sub>1-6</sub>alkyl, haloC<sub>1-6</sub>alkyl, haloC<sub>1-6</sub>alkyl, haloC<sub>1-6</sub>alkyl, C<sub>1-4</sub>alkylaminoC<sub>1-6</sub>alkyl, hydroxyC<sub>1-4</sub>alkyl, phosphonooxyC<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkyl, hydroxyC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylcarbonyl, hydroxyC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylcarbonyl,

or  $R^{7'}$  and  $R^{8'}$  together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO<sub>2</sub>, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from  $C_{1-4}$ alkyl, hydroxy, phosphonooxy,  $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkylcarbonyl, phosphonooxy $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkylcarbonyl, amino $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkylcarbonyl, and where a ring  $-CH_2$ - is optionally replaced with -C(O)-;

 $R^{9'}$ ,  $R^{10'}$ ,  $R^{15'}$  and  $R^{16'}$  are independently selected from hydrogen,  $C_{1-6}$ alkyl,  $C_{3-6}$ cycloalkyl,  $C_{3-6}$ cycloalkyl $C_{1-3}$ alkyl, hydroxy $C_{1-6}$ alkyl, phosphonooxy $C_{1-6}$ alkyl, halo $C_{1-6}$ alkyl, amino $C_{1-6}$ alkyl,  $C_{1-6}$ alkyl amino $C_{1-6}$ alkyl amino $C_{1-6}$ alkyl;

or  $R^{9'}$  and  $R^{10'}$  together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO<sub>2</sub>, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from  $C_{1-4}$ alkyl, hydroxy, phosphonooxy,  $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkylcarbonyl, phosphonooxy $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkylcarbonyl, amino $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkylamino $C_{1-4}$ alkylcarbonyl and bis( $C_{1-4}$ alkyl) amino $C_{1-4}$ alkylcarbonyl, and where a ring  $-CH_2$ - is optionally replaced with -C(O)-;

provided that a compound of formula (IA) contains at least one phosphonooxy group.

- 3. (currently amended) A compound <u>or a salt or ester thereof</u> according to claim 2 containing only one phosphonooxy group.
- 4. (currently amended) A compound <u>or a salt, ester of prodrug thereof</u> according to claim 1 wherein  $R^1$  is hydrogen, halo or  $-OR^{11}$  and  $R^{11}$  is hydrogen or a group selected from  $C_{1-6}$ alkyl, heterocyclyl and heterocyclyl $C_{1-4}$ alkyl, which group is optionally substituted by a substituent selected from hydroxy,  $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkylcarbonyl, amino $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkylamino $C_{1-4}$ alkylcarbonyl and bis( $C_{1-4}$ alkyl)amino $C_{1-4}$ alkylcarbonyl.
- 5. (currently amended) A compound or a salt, ester of prodrug thereof according to claim 1 wherein  $R^2$  is hydrogen, halo,  $-OR^{12}$  or  $-OC(O)R^{12}$  and  $R^{12}$  is hydrogen or a group selected from  $C_{1-4}$ alkyl, aryl, heterocyclyl and heterocyclyl $C_{1-4}$ alkyl which group is optionally substituted by a substituent selected from  $C_{1-4}$ alkyl and  $C_{1-4}$ alkoxy.
- 6. (currently amended) A compound <u>or a salt, ester of prodrug thereof</u> according to claim 1 wherein  $R^3$  is hydrogen or  $-X^3R^{13}$  and  $R^{13}$  is hydrogen, methyl, ethyl, propyl, heterocyclyl, heterocyclylmethyl, heterocyclylethyl or heterocyclylpropyl which methyl, ethyl or propyl are optionally substituted by  $-NR^7R^8$ ,  $-C(O)NR^7R^8$  or 1 or 2 halo, hydroxy or  $C_{1-4}$ alkoxy substituents and which heterocyclylmethyl, heterocyclylethyl or heterocyclylpropyl are optionally substituted on heterocyclyl by hydroxy,  $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkyl or hydroxy $C_{1-4}$ alkylcarbonyl.

- 7. (currently amended) A compound <u>or a salt, ester of prodrug thereof</u> according to claim 6 wherein  $R^7$  and  $R^8$  are independently selected from hydrogen, heterocyclyl, heterocyclyl $C_{1-4}$ alkyl,  $C_{3-6}$ cycloalkyl,  $C_{3-6}$ cycloalkyl, hydroxy $C_{3-6}$ cycloalkyl, hydroxy $C_{1-4}$ alkyl, cyano $C_{1-4}$ alkyl, halo $C_{1-6}$ alkyl,  $C_{2-4}$ alkenyl,  $C_{2-4}$ alkynyl, cyano $C_{1-4}$ alkyl, amino $C_{1-4}$ alkyl, bis( $C_{1-4}$ alkyl)amino $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkylamino $C_{1-4}$ alkyl, bis( $C_{1-4}$ alkyl)amino $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkyl and hydroxy $C_{1-4}$ alkylcarbonyl; or  $R^7$  and  $R^8$  together with the nitrogen to which they are attached form a heterocyclic ring selected from azetidine, pyrrolidine, piperidine, morpholine, piperazine, diazepane, 1,4-diazepane and azabicyclo[3.1.0]hexane which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from  $C_{1-4}$ alkyl, hydroxy, hydroxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkyl,  $C_{1-4}$ alkylcarbonyl and hydroxy $C_{1-4}$ alkylcarbonyl, and where a ring  $-CH_2$  is optionally replaced with -C(O)-.
- 8. (currently amended) A compound or a salt or ester thereof according to claim 2 wherein  $R^{1'}$  is hydrogen, halo or  $-OR^{11'}$  and  $R^{11'}$  is hydrogen, phosphonooxy or a group selected from  $C_{1-6}$ alkyl, heterocyclyl and heterocyclyl $C_{1-4}$ alkyl, which group is optionally substituted by a substituent selected from hydroxy, phosphonooxy,  $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkylcarbonyl, phosphonooxy $C_{1-4}$ alkylcarbonyl, amino $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkylcarbonyl, and bis( $C_{1-4}$ alkyl)amino $C_{1-4}$ alkylcarbonyl.
- 9. (currently amended) A compound <u>or a salt or ester thereof</u> according to claim 2 wherein  $R^2$  is hydrogen, halo,  $-OR^{12}$  or  $-OC(O)R^{12}$  and  $R^{12}$  is hydrogen, phosphonooxy or a group selected from  $C_{1-4}$ alkyl, aryl, heterocyclyl and heterocyclyl $C_{1-4}$ alkyl which group is optionally substituted by a substituent selected from  $C_{1-4}$ alkyl and  $C_{1-4}$ alkoxy.
- 10. (currently amended) A compound <u>or a salt or ester thereof</u> according to claim 2 wherein  $R^{3'}$  is hydrogen, phosphonooxy or  $-X^3R^{13'}$  and  $R^{13'}$  is hydrogen or a group selected from  $C_{1-6}$ alkyl, aryl, aryl $C_{1-4}$ alkyl, heterocyclyl and heterocyclyl $C_{1-4}$ alkyl, which group is optionally substituted by 1 or 2 substituents independently selected from  $-NR^{7'}R^{8'}$ ,  $-C(O)NR^{7'}R^{8'}$ , halo, hydroxy, phosphonooxy,  $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkylcarbonyl, phosphonooxy $C_{1-4}$ alkylcarbonyl and  $C_{1-4}$ alkylcarbonyl.
- 11. (currently amended) A compound <u>or a salt or ester thereof</u> according to claim 10 wherein  $R^{7'}$  and  $R^{8'}$  are independently selected from hydrogen, heterocyclyl, heterocyclyl $C_{1-4}$ alkyl,

 $C_{1-4}$ alkylheterocyclyl $C_{1-4}$ alkyl,  $C_{1-6}$ alkyl, hydroxy $C_{1-6}$ alkyl, phosphonooxy $C_{1-6}$ alkyl,  $C_{1-4}$ alkoxy $C_{1-4}$ alkyl,  $C_{3-6}$ cycloalkyl,  $C_{3-6}$ cycloalkyl, hydroxy $C_{1-4}$ alkyl, hydroxy $C_{3-6}$ cycloalkyl, phosphonooxy $C_{3-6}$ cycloalkyl, hydroxy $C_{1-4}$ alkyl $C_{3-6}$ cycloalkyl,  $C_{2-4}$ alkenyl,  $C_{2-4}$ alkynyl, cyano $C_{1-4}$ alkyl, amino $C_{1-4}$ alkyl, bis( $C_{1-4}$ alkyl)amino $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkylcarbonyl and phosphonooxy $C_{1-4}$ alkylcarbonyl; or  $R^{7'}$  and  $R^{8'}$  together with the nitrogen to which they are attached form a heterocyclic ring selected from azetidine, pyrrolidine, piperidine, morpholine, piperazine, diazepane, 1,4-diazepane and azabicyclo[3.1.0]hexane which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from  $C_{1-4}$ alkyl, hydroxy, phosphonooxy, hydroxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkyl, hydroxy, phosphonooxy, hydroxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkylcarbonyl and phosphonooxy $C_{1-4}$ alkylcarbonyl, and where a ring  $-C_{1-4}$  is optionally replaced with -C(O)-.

- 12. (currently amended) A compounds <u>or a salt, ester or prodrug thereof</u> according to <u>claim 1</u> any one of the preceding claims wherein X is NH.
- 13. (currently amended) A compound <u>or a salt, ester or prodrug thereof</u> according to <u>claim 1</u> any one of the preceding claims wherein R<sup>4</sup> is hydrogen.
- 14. (currently amended) A compound <u>or a salt, ester or prodrug thereof</u> according to <u>claim 1</u> any one of the preceding claims wherein R<sup>5</sup> is aryl optionally substituted by 1 or 2 halo.
- 15. (currently amended) A compound <u>or a salt, ester or prodrug thereof</u> according to <u>claim 1</u> any one of the preceding claims wherein R<sup>19</sup> is hydrogen, hydroxycarbonyl, ethoxycarbonyl, aminocarbonyl and acetylamino.
- 16. (currently amended) A compound of formula (I) selected from:
- $2-(4-\{[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino\}-1 \\ H-pyrazol-1-yl)-N-(3-fluorophenyl)acetamide;$
- $2-(4-\{[7-(3-chloropropoxy)quinazolin-4-yl]amino\}-1 \\ H-pyrazol-1-yl)-N-(2,3-difluorophenyl)acetamide;$
- $2-(4-\{[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino}-1H-pyrazol-1-yl)-N-(2,3-difluorophenyl)acetamide;$

- 2-(4-{[7-(3-chloropropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
- 2-(4-{[7-(2-chloroethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- 2-(4-{[7-(2-chloroethoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- *N*-(2,3-difluorophenyl)-2-(4-{[7-(2,2-dimethoxyethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- 4-{[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino}-1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazole-3-carboxamide;
- ethyl 4-{[7-(3-chloropropoxy)quinazolin-4-yl]amino}-1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazole-3-carboxylate;
- 2-(3-(acetylamino)-4-{[7-(3-chloropropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
- N-(2,3-difluorophenyl)-2-[4-(quinazolin-4-ylamino)-1H-pyrazol-1-yl]acetamide;
- 2-(4-{[7-(3-chloropropoxy)-5-isopropoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- 2-(4-{[7-(3-chloropropoxy)-5-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- 2-(4-{[7-(3-chloropropoxy)-6-fluoroquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- 2-(4-{[7-(3-chloropropoxy)-6-fluoroquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
- N-(3-fluorophenyl)-2-{4-[(7-{3-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N-(3-fluorophenyl)-2-(4-{[6-methoxy-7-(3-piperidin-1-ylpropoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;
- *N*-(3-fluorophenyl)-2-(4-{[6-methoxy-7-(3-pyrrolidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- 2-[4-({7-[3-(diethylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

```
N-(3-fluorophenyl)-2-(4-{[6-methoxy-7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;
```

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-[4-({7-[3-(cyclopropylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

2- $\{4-[(7-\{3-[[2-(dimethylamino)ethyl](methyl)amino]propoxy\}-6-methoxyquinazolin-4-yl)amino]-1$ *H* $-pyrazol-1-yl}-$ *N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-[4-({6-methoxy-7-[3-(4-methylpiperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-[4-({7-[3-(4-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl}amino)-1H-pyrazol-1-yl]acetamide;

2-{4-[(7-{3-[bis(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

2-{4-[(7-{3-[ethyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}- *N*-(3-fluorophenyl)acetamide;

2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

2-{4-[(7-{3-[[2-(dimethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[(cyclopropylmethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(prop-2-yn-1-yl)amino]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[allyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[isobutyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

- *N*-(3-fluorophenyl)-2-[4-({7-[3-(3-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- N-(3-fluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- N-(3-fluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(propyl)amino]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[(cyclopropylmethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 2-{4-[(7-{3-[[2-(diethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 2-{4-[(7-{3-[[2-(diethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- *N*-(3-fluorophenyl)-2-[4-({6-methoxy-7-[3-(4-methyl-1,4-diazepan-1-yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isopropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[cyclopropyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[cyclobutyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 2-{4-[(7-{3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 2-{4-[(7-{3-[(cyclobutylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(prop-2-yn-1-yl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[allyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- $2-\{4-[(7-\{3-[(2,2-dimethylpropyl)(2-hydroxyethyl)amino]propoxy\}-6-methoxyquinazolin-4-yl)amino]-1$H-pyrazol-1-yl}-$N-(3-fluorophenyl)acetamide;$
- N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(3,3,3-trifluoropropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- 2-(4-{[7-(3-azetidin-1-ylpropoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;

- 2-{4-[(6,7-dimethoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide; *N*-(3-fluorophenyl)-2-{4-[(7-hydroxy-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-[4-({7-[3-(dimethylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- *N*-(2,3-difluorophenyl)-2-(4-{[6-methoxy-7-(3-piperidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- $N-(2,3-difluorophenyl)-2-(4-{[6-methoxy-7-(3-pyrrolidin-1-ylpropoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;$
- *N*-(2,3-difluorophenyl)-2-(4-{[6-methoxy-7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- $N-(2,3-difluorophenyl)-2-\{4-[(7-\{3-[(2-hydroxyethyl)(methyl)amino]propoxy\}-6-methoxyquinazolin-4-yl)amino]-1<math>H$ -pyrazol-1-yl}acetamide
- 2-[4-({7-[3-(cyclopropylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[[2-(dimethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- $N-(2,3-difluorophenyl)-2-[4-({6-methoxy-7-[3-(4-methylpiperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1<math>H$ -pyrazol-1-yl]acetamide;
- $N-(2,3-difluorophenyl)-2-\{4-[(7-\{3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy\}-6-methoxyquinazolin-4-yl)amino]-1<math>H$ -pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-[4-({7-[3-(4-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- 2-{4-[(7-{3-[bis(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

- $N-(2,3-difluorophenyl)-2-\{4-[(7-\{3-[[2-(dimethylamino)ethyl](ethyl)amino]propoxy\}-6-methoxyquinazolin-4-yl)amino]-1<math>H$ -pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[(cyclopropylmethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- $N-(2,3-difluorophenyl)-2-\{4-[(7-\{3-[4-(2-hydroxyethyl)piperidin-1-yl]propoxy\}-6-methoxyquinazolin-4-yl)amino]-1<math>H$ -pyrazol-1-yl}acetamide;
- N-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(prop-2-yn-1-me
- yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- $N-(2,3-difluorophenyl)-2-\{4-[(7-\{3-[isobutyl(methyl)amino]propoxy\}-6-methoxyquinazolin-4-yl)amino]-1$  $H-pyrazol-1-yl\}$ acetamide;
- $N-(2,3-difluorophenyl)-2-[4-({7-[3-(3-hydroxypiperidin-1-yl)propoxy}]-6-methoxyquinazolin-4-yl}amino)-1<math>H$ -pyrazol-1-yl]acetamide;
- N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[(cyclopropylmethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- 2-{4-[(7-{3-[[2-(diethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- 2-{4-[(7-{3-[[2-(diethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- *N*-(2,3-difluorophenyl)-2-[4-({6-methoxy-7-[3-(4-methyl-1,4-diazepan-1-yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isopropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[cyclopropyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[cyclobutyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

```
2-{4-[(7-{3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}-N-(2,3-difluorophenyl)acetamide;
```

2-{4-[(7-{3-[(cyclobutylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(prop-2-yn-1-yl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[allyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2,2-dimethylpropyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(3,3,3-trifluoropropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

 $N-(2,3-difluorophenyl)-2-\{4-[(7-\{2-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy\}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl\}acetamide;$ 

*N*-(2,3-difluorophenyl)-2-(4-{[7-(2-{4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}ethoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

 $N-(2,3-difluorophenyl)-2-\{4-[(7-\{2-[2-(hydroxymethyl)piperidin-1-yl]ethoxy\}-6-methoxyquinazolin-4-yl)amino]-1<math>H$ -pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxy-1,1-dimethylethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(2-hydroxyethyl)piperazin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(trans-4-hydroxycyclohexyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[3-(hydroxymethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-(4-{[7-(2-{[1-(hydroxymethyl)cyclopentyl]amino}ethoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

 $N-(2,3-difluorophenyl)-2-\{4-[(7-\{2-[4-(3-hydroxypropyl)piperazin-1-yl]ethoxy\}-6-methoxyquinazolin-4-yl)amino]-1<math>H$ -pyrazol-1-yl}acetamide;

2-{4-[(7-{2-[cyclohexyl(2-hydroxyethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)(propyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3-hydroxy-2,2-diethylpropyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

- N-(2,3-difluorophenyl)-2-[4-({6-methoxy-7-[2-(tetrahydro-2*H*-pyran-4-
- ylamino)ethoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]acetamide;
- 2-{4-[(7-{2-[cyclobutyl(2-hydroxyethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)(tetrahydro-2*H*-pyran-4-yl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- $N-(2,3-difluorophenyl)-2-\{4-[(7-\{2-[(2R)-2-(2-hydroxyethyl)piperidin-1-yl]ethoxy\}-6-methoxyquinazolin-4-yl)amino]-1<math>H$ -pyrazol-1-yl}acetamide;
- N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2S)-2-(2-hydroxyethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- $N-(2,3-difluorophenyl)-2-\{4-[(7-\{3-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy\}quinazolin-4-yl)amino]-1<math>H$ -pyrazol-1-yl}acetamide;
- $N-(2,3-difluorophenyl)-2-\{4-[(7-\{3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy\}quinazolin-4-yl)amino]-1<math>H$ -pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[cyclopentyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- $N-(2,3-difluorophenyl)-2-\{4-[(7-\{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy\}quinazolin-4-yl)amino]-1$  $H-pyrazol-1-yl\}$ acetamide;
- $N-(2,3-difluorophenyl)-2-\{4-[(7-\{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy\}quinazolin-4-yl)amino]-1$ *H*-pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-1,1-dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[(2-cyanoethyl)(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- $N-(2,3-difluorophenyl)-2-(4-{[7-(3-morpholin-4-ylpropoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;$
- N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-2,2-dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxypropyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(3-hydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)-3-oxopiperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-[4-({7-[3-(propylamino)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

*N*-(2,3-difluorophenyl)-2-(4-{[7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[glycoloyl(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-[4-({7-[3-(4-glycoloylpiperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-(4-{[7-(3-{[trans-2-

(hydroxymethyl)cyclohexyl]amino}propoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(1 $\alpha$ ,5 $\alpha$ ,6 $\alpha$ )-6-(hydroxymethyl)-3-azabicyclo[3.1.0]hex-3-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-(4-{[7-(3-{[(2R)-2-hydroxypropyl]amino}propoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;

 $N-(2,3-difluorophenyl)-2-(4-{[7-(3-{[(1S)-2-hydroxy-1-methylethyl]amino}propoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;$ 

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxy-1,1-dimethylethyl)amino]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2,3-dihydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-(4-{[7-(3-{[2-(2-hydroxyethoxy)ethyl]amino}propoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;

2-[4-({7-[3-(4-acetylpiperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]-N-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(tetrahydrofuran-2-ylmethyl)amino]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

2-[4-({7-[3-(allylamino)propoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]-N-(2,3-difluorophenyl)acetamide;

- N-(2,3-difluorophenyl)-2-(4-{[7-(3-{[1-(hydroxymethyl)-2-
- methylpropyl]amino}propoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;
- *N*-(2,3-difluorophenyl)-2-(4-{[7-(3-{[(5-methylisoxazol-3-yl)methyl]amino}propoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;
- *N*-(2,3-difluorophenyl)-2-[4-({7-[3-(tetrahydro-2H-pyran-4-ylamino)propoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3S)-3-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-(4-{[7-(3-hydroxypropoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;
- 2-(4-{[7-(3-aminopropoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)-N-(2,3-difluorophenyl)acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2S,4R)-4-hydroxy-2-(hydroxymethyl)pyrrolidin-1-l]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3-hydroxy-2,2-dimethylpropyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{2-[cyclohexyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- 2-[4-({7-[2-(cyclopropylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;
- 2-[4-({7-[2-(cyclobutylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;
- *N*-(2,3-difluorophenyl)-2-[4-({7-[2-(tetrahydro-2*H*-pyran-4-ylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- 2-[4-({7-[2-(cyclopentylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)(tetrahydro-2*H*-pyran-4-yl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- $2-\{4-[(7-\{2-[cyclopentyl(2-hydroxyethyl)amino]ethoxy\}quinazolin-4-yl)amino]-1H-pyrazol-1-yl\}-N-(2,3-difluorophenyl)acetamide;$
- $N-(2,3-difluorophenyl)-2-\{4-[(7-\{2-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy\}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;$
- 2-{4-[(7-{2-[cyclopropyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}- *N*-(2,3-difluorophenyl)acetamide;

```
2-\{4-[(7-\{2-[cyclobutyl(2-hydroxyethyl)amino]ethoxy\}quinazolin-4-yl)amino]-1H-pyrazol-1-yl\}-N-(2,3-difluorophenyl)acetamide;
```

2-{4-[(7-{2-[cyclopentyl(3-hydroxypropyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{2-[cyclopentyl(glycoloyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

 $N-(2,3-difluorophenyl)-2-\{4-[(7-\{2-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy\}quinazolin-4-yl)amino]-1<math>H$ -pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-yl]ethoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(hydroxymethyl)piperidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(2-hydroxyethyl)piperidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-(4-{[7-(2-{[trans-2-

 $(hydroxymethyl) cyclohexyl] amino\} ethoxy) quinazolin-4-yl] amino} -1 \\ H-pyrazol-1-yl) acetamide;$ 

 $N-(2,3-difluorophenyl)-2-\{4-[(7-\{3-[(2-hydroxyethyl)amino]propoxy\}quinazolin-4-yl)amino]-1H-pyrazol-1-yl\}acetamide;$ 

*N*-(2,3-difluorophenyl)-2-(4-{[7-(3-pyrrolidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

 $\textit{N-}(2,3-difluor ophenyl)-2-\{4-[(7-methoxyquinazolin-4-yl)amino]-1$H-pyrazol-1-yl} acetamide;$ 

yl)amino]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

 $N-(2,3-difluorophenyl)-2-\{4-[(7-\{3-[(2R)-2-(2-hydroxyethyl)piperidin-1-yl]propoxy\}quinazolin-4-yl)amino]-1H-pyrazol-1-yl\}acetamide;$ 

 $N-(2,3-difluorophenyl)-2-\{4-[(7-\{3-[(2S)-2-(2-hydroxyethyl)piperidin-1-yl]propoxy\}quinazolin-4-yl)amino]-1H-pyrazol-1-yl\}acetamide;$ 

 $N-(2,3-difluorophenyl)-2-\{4-[(7-\{3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-difluorophenyl)-2-\{4-[(3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-difluorophenyl)-2-\{4-[(3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-[(2R)-2-(hydroxymethyl)-4-methylpiperazin-1-(2,3-[(2R)-2-(hydroxymethyl)-4$ 

yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

 $\textit{N-}(2,3-\text{difluorophenyl})-2-\{4-[(7-\{3-[(3S)-3-(\text{hydroxymethyl})-4-\text{methylpiperazin-1-1}\})\})}$ 

yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

- *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2R)-2-(hydroxymethyl)morpholin-4-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3S)-3-(hydroxymethyl)morpholin-4-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-[4-({7-[3-(glycoloylamino)propoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]acetamide;
- *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- N-(3-fluorophenyl)-2-{4-[(7-{3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- *N*-(3-fluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-1,1-dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N-(3-fluorophenyl)-2-{4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- N-(3-fluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(tetrahydrofuran-3-
- yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- *N*-(3-fluorophenyl)-2-(4-{[7-(3-morpholin-4-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- N-(3-fluorophenyl)-2-[4-({7-[(2S)-pyrrolidin-2-ylmethoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]acetamide;
- *N*-(3-fluorophenyl)-2-{4-[(7-{[(2S)-1-(2-hydroxyethyl)pyrrolidin-2-yl]methoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N-(3-fluorophenyl)-2-{4-[(2S)-1-glycoloylpyrrolidin-2-yl]methoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- *N*-(3-fluorophenyl)-2-(4-{[7-(pyrrolidin-3-ylmethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- *N*-(3-fluorophenyl)-2-{4-[(7-{[1-(2-hydroxyethyl)pyrrolidin-3-yl]methoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- *N*-(3-fluorophenyl)-2-[4-({7-[(1-glycoloylpyrrolidin-3-yl)methoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

- *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N-(3-fluorophenyl)-2-{4-[(7-hydroxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- $N-(2-F_{1}|1)-2-\{4-[(7-\{3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy\}quinazolin-4-yl)amino]-1<math>H$ -pyrazol-1-yl}acetamide
- 2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2-fluorophenyl)acetamide;
- 2-{4-[(7-{3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}-N-phenylacetamide;
- 2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-phenylacetamide;
- $N-(2,6-difluorophenyl)-2-\{4-[(7-\{3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy\}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;$
- 2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 2-{4-[(7-{3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy}-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(6-fluoro-7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- $N-(2,3-difluorophenyl)-2-\{4-[(6-fluoro-7-\{3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy\}quinazolin-4-yl)amino]-1<math>H$ -pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[cyclopentyl(2-hydroxyethyl)amino]propoxy}-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- 2-{4-[(7-{3-[bis(2-hydroxyethyl)amino]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-(4-{[5-isopropoxy-7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- $N-(2,3-difluorophenyl)-2-\{4-[(7-\{3-[(2-hydroxyethyl)amino]propoxy\}-5-isopropoxyquinazolin-4-yl)amino]-1<math>H$ -pyrazol-1-yl}acetamide;

- *N*-(2,3-difluorophenyl)-2-[4-({7-[3-(4-glycoloylpiperazin-1-yl)propoxy]-5-isopropoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- $N-(2,3-\text{difluorophenyl})-2-\{4-[(7-\{3-[(2R)-2-(\text{hydroxymethyl})\text{pyrrolidin-1-yl}]\text{propoxy}\}-5-\text{methoxyquinazolin-4-yl})$ amino]-1H-pyrazol-1-yl}acetamide;
- N-(2,3-difluorophenyl)-2-{4-[(5,7-dimethoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(5-hydroxy-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-[4-({7-methoxy-5-[(2*R*)-pyrrolidin-2-ylmethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(5-{[(2*R*)-1-glycoloylpyrrolidin-2-yl]methoxy}-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- *N*-(2,3-difluorophenyl)-2-{4-[(5-{[(2*R*)-1-(*N*,*N*-dimethylglycyl)pyrrolidin-2-yl]methoxy}-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N-(2,3-difluorophenyl)-2-{4-[(5-{[(2R)-1-(2-hydroxyethyl)pyrrolidin-2-yl]methoxy}-7-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- $N-(2,3-difluorophenyl)-2-\{4-[(5-methoxyquinazolin-4-yl)amino]-1H-pyrazol-1-yl\}acetamide;$
- N-(2,3-difluorophenyl)-2-{4-[(5-fluoroquinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;
- *N*-(3-fluorophenyl)-2-(4-{[7-methoxy-6-(3-morpholin-4-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- *N*-(3-fluorophenyl)-2-[4-({7-methoxy-6-[(1-methylpyrrolidin-3-yl)oxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- *N*-(3-fluorophenyl)-2-(4-{[7-methoxy-6-(2-morpholin-4-ylethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- 2-(4-{[6,7-bis(2-methoxyethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- *N*-(3-fluorophenyl)-2-{4-[(6-hydroxy-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 4-((1-(2-((2,3-difluorophenyl)amino)-2-oxoethyl)-1*H*-pyrazol-4-yl)amino)-7-((1-methylpiperidn-4-yl)methoxy)quinazolin-6-yl benzoate;
- N-(2,3-difluorophenyl)-2-(4-((6-hydroxy-7-((1-methylpiperidin-4-yl)methoxy)quinazolin-4-yl)amino)-1<math>H-pyrazol-1-yl)acetamide;
- $1-\{2-[(3-fluorophenyl)amino]-2-oxoethyl\}-4-[(7-\{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy\}-6-methoxyquinazolin-4-yl)amino]-1$H-pyrazole-3-carboxamide; \\1-\{2-[(3-fluorophenyl)amino]-2-oxoethyl\}-4-[(7-\{3-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy\}-6-methoxyquinazolin-4-yl)amino]-1$H-pyrazole-3-carboxamide;$

2-{3-(acetylamino)-4-[(7-{3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}-N-(3-fluorophenyl)acetamide; ethyl 1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-4-[(7-{3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazole-3-carboxylate; and 1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-4-[(7-{3-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazole-3-carboxylic acid; or a salt, ester or prodrug thereof.

17. (original) A compound of formula (IA) selected from: 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]-6methoxyquinazolin-7-yl}oxy)propyl](propyl)amino]ethyl dihydrogen phosphate; {(2S)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate; {(2S)-1-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate; 2-{ethyl[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]-6methoxyquinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;  ${(2R)-1-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1}H-pyrazol-4-yl)amino]-6-}$ methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate; 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]-6methoxyquinazolin-7-yl}oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate; {(2S)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4yl)amino]quinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;  $\label{eq:condition} $$ \{(2R)-1-[3-(\{4-[(1-\{2-[(2,3-difluorophenyl)amino]-2-oxoethyl\}-1H-pyrazol-4-(2R)-1-[3-(\{4-[(1-\{2-[(2,3-difluorophenyl)amino]-2-oxoethyl\}-1H-pyrazol-4-(2R)-1-[3-(\{4-[(1-\{2-[(2,3-difluorophenyl)amino]-2-oxoethyl\}-1H-pyrazol-4-(2R)-1-[3-((2R)-1-[(2$ yl)amino]quinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;  $\{(2R)-1-[3-(4-[(1-{2-[(2,3-difluorophenyl)amino}]-2-oxoethyl\}-1H-pyrazol-4-yl)amino}]-6$ methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate; 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]-6methoxyquinazolin-7-yl}oxy)propyl](ethyl)amino]ethyl dihydrogen phosphate; 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]quinazolin-7yl}oxy)propyl](propyl)amino]ethyl dihydrogen phosphate; 2-{cyclobutyl[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]-6methoxyquinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate; 2-{cyclobutyl[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]-6methoxyquinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;

- 2-[[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate;
- 2-[[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;
- 2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]piperazin-1-yl}ethyl dihydrogen phosphate;
- 2-{ethyl[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;
- 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](ethyl)amino]ethyl dihydrogen phosphate;
- 3-{[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}-3-methylbutyl dihydrogen phosphate;
- $3-\{[3-(\{4-[(1-\{2-[(2,3-difluorophenyl)amino]-2-oxoethyl\}-1H-pyrazol-4-yl)amino]quinazolin-7-yl\}oxy)$ propyl]amino}-3-methylbutyl dihydrogen phosphate;
- $\{(2R)-1-[3-(\{4-[(1-\{2-[(3-fluorophenyl])amino]-2-oxoethyl\}-1H-pyrazol-4-yl]amino]quinazolin-7-yl\}oxy)$ propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
- 2-{4-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]piperazin-1-yl}ethyl dihydrogen phosphate
- 3-{[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}propyl dihydrogen phosphate;
- 2-{[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;
- 2-[[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate;
- 3-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](ethyl)amino]propyl dihydrogen phosphate;
- 3-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]propyl dihydrogen phosphate;
- 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]-2-oxoethyl dihydrogen phosphate;
- 2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]piperazin-1-yl}-2-oxoethyl dihydrogen phosphate;
- $\{(2R)-1-[3-(\{4-[(1-\{2-[(2,3-difluorophenyl)amino]-2-oxoethyl\}-1H-pyrazol-4-yl)amino]-6-fluoroquinazolin-7-yl\}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;$
- 4-((1-(2-((2,3-difluorophenyl)amino)-2-oxoethyl)-1*H*-pyrazol-4-yl)amino)-7-((1-methylpiperidin-4-yl)methoxy)quinazolin-6-yl dihydrogen phosphate;

 $\{(2R)-1-[3-(4-[(1-{2-[(2,3-difluorophenyl)amino}]-2-oxoethyl\}-1H-pyrazol-4-yl)amino]-5$ isopropoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate; 2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]-5isopropoxyquinazolin-7-yl}oxy)propyl]piperazin-1-yl}ethyl dihydrogen phosphate; 2-{[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]-5isopropoxyquinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate; {(2R)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]-5methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate; {(2R)-1-[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]-6methoxyquinazolin-7-yl}oxy)ethyl]pyrrolidin-2-yl}methyl dihydrogen phosphate; {(2S)-1-[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]-6methoxyquinazolin-7-yl}oxy)ethyl]pyrrolidin-2-yl}methyl dihydrogen phosphate; 2-[[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]-6methoxyquinazolin-7-yl}oxy)ethyl](tetrahydro-2*H*-pyran-4-yl)amino]ethyl dihydrogen phosphate; 2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1H-pyrazol-4-yl)amino]qinazolin-7-

2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]qinazolin-7-yl}oxy)propyl]-2-oxopiperazin-1-yl}ethyl dihydrogen phosphate; and 2-[[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)ethyl](tetrahydro-2*H*-pyran-4-yl)amino]ethyl dihydrogen phosphate; or a salt or ester thereof.

## 18-21. (cancelled)

- 22. (currently amended) A pharmaceutical composition comprising a compound <u>according to claim 1</u> as defined in any one of claims 1 to 17, or a pharmaceutically acceptable salt, ester or prodrug thereof, in association with a pharmaceutically acceptable diluent or carrier.
- 23. (currently amended) A method of treating a human suffering from a hyperproliferative disease, comprising the steps of administering to a person in need of such treatment a therapeutic amount of a compound or a pharmaceutically acceptable salt, ester or prodrug thereof according to claim 1 as defined in any one of claims 1 to 17.
- 24. (original) A process for the preparation of a compound according to claim 1 or a pharmaceutically acceptable salt, ester or prodrug thereof, which process comprises reacting a compound of formula (II)

$$R^2$$
 $R^3$ 
 $R^4$ 
(II)

where L is a suitable leaving group and R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup>, R<sup>4</sup> are as defined in claim 1 with a compound of formula (III)

wherein R<sup>5</sup> and R<sup>19</sup> are as defined in claim 1 in the presence of hydrochloric acid in dioxane under an inert atmosphere, and thereafter if necessary:

- i) converting a compound of the formula (I) into another compound of the formula (I); and/or
- ii) removing any protecting groups; and/or
- iii) forming a salt, ester or prodrug thereof.
- 25. (original) A process for the preparation of a compound according to claim 2 or a pharmaceutically acceptable salt thereof, which process comprises phosphorylation of a compound according to claim 1, followed by deprotection of the phosphate group to yield a compound according to claim 2.
- 26. (new) A method of treating a human suffering from colorectal, breast, lung, prostate, bladder, renal or pancreatic cancer or leukaemia or lymphoma, comprising the steps of administering to a person in need thereof a therapeutically effective amount of a compound according to claim 1 or a pharmaceutically acceptable salt, ester or prodrug thereof.